

INFINITE BUSINESS OPPORTUNITIES!



VERVE HYBRID 3225 UV FLATBED/ROLL-TO-ROLL PRINTER

UV

VERVE HYBRID

UV FLATBED/ROLL-TO-ROLL PRINTER



FEATURES FOR HIGHER PRODUCTIVITY

- > Extra wide print width – 3.2m
- > Proprietary AIVC jetting technology
- > Variable drop technology
- > Accurate and reliable high speed printing
- > Large range of printable media
- > Solid build quality, low maintenance

DELIVERS SUPERSPEED VERSATILE UV PERFORMANCE

ADDITIONAL FEATURES

- > Precisely engineered using 3D CNC Machinery
- > Intelligent Media Thickness System
- > Anti-Crash Sensor
- > Advanced RIP for faster processing & better colour management
- > Fully customised printer settings for enhanced print results
- > Industrial grade jetting assembly
- > Consistent print quality through the life of printhead
- > System designed to use white ink as additional color
- > Adjustable UV lamp power enables better drying control
- > Vacuum system can be adjusted in four zones
- > Specially formulated inks with wider color gamut & higher density

COLORJET

India's largest manufacturer of digital inkjet printers




SPECIFICATIONS

VERVE HYBRID 3225														
Models			Y3225Y		Y3225R5				Y3225R6					
Printing Technology			Drop-on-demand, Piezo Electric Inkjet											
Print Head Type			Industrial Grade Jetting Assemblies											
No. of Print Heads			2 to 8 (3.5 PL)		2 to 12 (7 PL)				2 to 12 (5 PL)					
Media		Size	3200mm x 2500mm Bed / 3200m x Unlimited Roll											
		Thickness	Maximum 100 mm											
		Handling	Suction & Blower											
Printing Size			3200mm x 2500m / 3200mm x Unlimited Roll											
Curing System			Dual UV LED Lamps											
Ink		Type	UV LED Curable Ink											
		System	Bulk Ink Refillable System											
		Colors	CMYK + W (Lc Lm Optional)				CMYK + W + V (Lc Lm Optional)							
Printing Resolution (dots per inch)			2400 dpi											
Distance Accuracy			Error of less than ±0.3 % of distance travelled, or ±0.3 mm, whichever is greater											
Connectivity/Interface			USB 3.1											
Power Requirements			AC 220 V, 30 A, 50/60 Hz											
Dimensions (Printer Only)(LxWxH)			5600 mm x 3350 mm x 1550 mm											
Dimensions (With Packing)(LxWxH)			5780 x 2032 x 1088 mm/4160 x 2160 x 1380 mm											
RIP Software			Onyx (ColorJet Edition)											
Weight			N.W. 3360 Kg, G.W. 3900 Kg											
Environmental		Power ON	Temperature: 18 to 28 °C Humidity: 20 to 60%RH (Non-condensing)											
		Power OFF	Temperature: 5 to 40 °C Humidity: 20 to 80%RH (Non-condensing)											
Flatbed / Roll-to-Roll Print Speed (Sqm/hr)														
3225 Hybrid			Kyocera				Ricoh 5				Ricoh 6			
Mode	Print DPI	Passes	2 Heads	4 Heads	2 Heads	4 Heads	6 Heads	8 Heads	2 Heads	4 Heads	6 Heads	8 Heads		
			1 Row	2 Row	1 Row	2 Row	3 Row	4 Row	1 Row	2 Row	3 Row	4 Row		
Mode 1	604 x 600	4	48	75	-	-	-	-	-	-	-	-		
Mode 2	604 x 900	6	33	54	-	-	-	-	-	-	-	-		
Mode 3	604 x 1200	8	25	43	-	-	-	-	-	-	-	-		
Mode 1	635 x 600	4	-	-	25	48	-	-	34	55	71	91		
Mode 2	635 x 900	6	-	-	17	33	51	68	24	41	54	76		
Mode 3	635 x 1200	8	-	-	13	25	43	58	18	33	43	61		

*Also available in 3220 bed size, Please refer to website

COLORJET DELIVERS IMPECCABLE PRINT RESULTS & FLAWLESS SERVICE ACROSS THE WORLD



COLORJET GROUP

INDIA : A-6&7, In Front Of Samsung Display Unit, Sector-81, Noida-201305 (U.P.), INDIA. T +91 120 4548195
 DUBAI : Block-A, Office No: 115, Hamsah Building, Karama, P.O. Box: 123360, Dubai-UAE. T 00971 43961744
 info@colorjetgroup.com | www.colorjetgroup.com

Accessories shown along with different printers in this brochure are not part of standard equipment. The final results of Colorjet are purely indicative and non-binding. Alterations and amendments can occur in specifications, materials or accessories without prior notice. Periodic maintenance is important for best quality output. Colorjet shall not be liable for any special or consequential damages that result from the use of, or the inability to use, the materials or the performance of the products. All trademarks, logos, symbols and designs depicted / mentioned in this brochure are trade names, trademarks and copyrights of their respective brand owners.