

# SONIQI

SITE READINESS DOCUMENT



# Prerequisites for SONIQ I:

#### Contents

- 1. Power Supply
- 2. Computer Requirements
- 3. Environment Requirements
- 4. Floor & Space

## **Power Supply**

- Total Power Consumption is 3.2KW
- Uninterrupted Power supply of 220V, 20 Amps (+ / 10%), 50Hz
- Exclusive Earthing: It should not be shared with UPS and Building's common Earthing
- Printer and computer must share same exclusive Earthing

#### Computer Requirements

Processor: i9 processorRAM: 8GB RAM or more

• Operating System: Windows 10

• Human Input Devices: Keyboard and Mouse

HDD/SSD: 500GB or moreUSB: USB 2.0 Port or more

Color monitor with 1600x1024 resolution 24-bit

**Note:** If computer system configuration doesn't meet the above-mentioned specifications, then printer performance gets slow down (will affect the printing data transfer).

### **Environment Requirements**

• Room temperature should be maintained in the range of 24  $^{\circ}$  C  $\pm$  4 with humidity 73%  $\pm$ 10% RH.

**Please note:** Printer is equipped with dryer heater, it may raise the room temperature 10% additional load should be considered when designing the AC.


- There should not be air draught in the room
- Closed dust-free room exclusive for Printer

SONIQ I Page | 2


### Floor & Space

- Net Weight: 550 KgsGross Weight: 742 KGS
- Machine Dimension (L x W x H): 4525x 885 x 1500 MM
- Packing Dimension of Long Pallet (L x W x H): 4590 x 910 x 874 MM (Machine Upper Body)
- Packing Dimension of Cabinets Small Pallet (L x W x H): 1285 x 790 x 1254 MM (Side Cabinets)
- Room Dimensions (L x W x H): 6525 x 2885 x 3000 MM

#### **SONIQ I Site Layout: Top View**



#### **SONIQ I Site Layout: Height of the machine**



SONIQ I Page | 3